

HACCO, INC.  
110 Hopkins Drive  
Randolph, WI 53956 U.S.A  
Phone: 1-800-498-5743

2011-1293  
2012-09-28

COMMERCIAL  
NET CONTENTS: 1.5kg to 22.68kg  
READ LABEL BEFORE USING  
REG. NO.:11669 PCP ACT

# Ramik<sup>®</sup> Green

## RODENTICIDE PELLETS

Weather resistant rodenticide for control of mice, rats and ground squirrels  
indoors and outdoors.

**GUARANTEE: Diphacinone (2-Diphenylacetyl-1, 3-Indandione).....0.005%**

**WARNING, contains the allergens Wheat, Soy and Fish.**  
Contains Calcium Propionate at 1.0% as a preservative.

**Only to be used by certified pest control operators, farmers and persons authorized in  
government-approved pest control program.**

**KEEP OUT OF REACH OF CHILDREN**

### FIRST AID

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

### PRECAUTIONS

**KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.** May be harmful or fatal if swallowed or absorbed through the skin. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product.

## **ENVIRONMENTAL HAZARDS**

Keep out of lakes, streams or ponds.

The use of anticoagulant bait can present a significant hazard to predatory mammals and birds through secondary poisoning.

## **TOXICOLOGICAL INFORMATION**

Vitamin K<sub>1</sub> in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

## **DIRECTIONS FOR USE**

**FOR THE CONTROL OF:** Mice and rats (indoors and outdoors) and ground squirrels (Columbian, Franklin's, thirteen-lined and Richardson's) in farm yards, grain fields, nurseries, residential areas, turf (ornamental, sports), vegetable gardens, railroad tracks, garbage dumps and under granaries.

This product can be used in wet or damp locations such as river banks, loading areas; in or around rat holes, along fences, etc. This product is equally effective in dry areas such as the inside of buildings and other protected areas.

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

## **FOOD PROCESSING, FOOD MANUFACTURING, FOOD STORAGE AND FOOD SERVICE AREAS**

For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

**RATS:** Place bait stations 6 to 9 metres apart. At least 115 grams of bait should be used per location.

**MICE:** Place bait stations 2 to 3 metres apart. At least 115 grams of bait should be used per location. Bait placements should be kept permanently to prevent new infestation.

## **GROUND SQUIRRELS:**

**Hand Baiting:** Place 15 grains (200 pellets) of bait in each hole. Check the site after 48 hours and rebait all holes where the bait has been consumed or removed.

**Bait Station Method:** Establish bait stations every 30 to 60 metres. Bait stations should bear the product name, active ingredient, guarantee, registration number, "WARNING POSITION", and the skull and crossbones symbol. Set 500 grams of bait per station. Check daily and maintain an uninterrupted supply for 3 weeks or until feeding has stopped.

## **USE LIMITATIONS- IN AND AROUND BUILDINGS**

Use indoors and outdoors within 15 metres of buildings. Bait must be placed either in tamper-resistant bait stations or in locations not accessible to children, pets, livestock, or nontarget wildlife. Bait applied outdoors and above-ground **MUST** be placed in bait stations.

Rodenticide bait can be placed in tamper-resistant bait stations along the fence line of properties, outside of the 15-metre limit but within a 100 metres of buildings, if the station is securely fastened (e.g., nailed down) to the fence or the ground.

Bait stations (**tier 3**) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, active ingredient, guarantee, registration number, "WARNING POISON", and the skull and crossbones symbol.

Bait stations (**tier 2**) used for the placement of rodenticide bait indoors, in locations accessible to pets or livestock must have the following characteristics, in addition to those outlined above for tier 3 bait stations: (1) resistant to destruction by non-target animals; and (2) have an entrance designed so that non-target animals cannot reach the bait.

Bait stations (**tier 1**) used outdoors, above-ground, in locations accessible to children, pets and non-target wildlife must have the following characteristic, in addition to those outlined above for tier 2 and 3 bait stations: (1) be resistant to destruction or weakening by elements of typical non-catastrophic weather (such as, snow, rain, extremes of temperature and humidity, direct sunshine, etc.).

#### **USE LIMITATIONS- IN GARBAGE DUMPS**

Baits placed outdoors, above-ground in locations accessible to the public, pets or livestock **MUST** be placed in tier 1 bait stations. The bait stations used in these sites **MUST** meet the characteristics described under **USE LIMITATIONS – IN AND AROUND BUILDINGS**.

#### **USE LIMITATIONS – RATS, MICE & GROUND SQUIRRELS- OTHER OUTDOOR AREAS\***

Bait placed outdoors, above-ground in residential areas, public areas or any other sites that are or will be open to the public, or in locations accessible to pets or livestock, **MUST** be placed in tier 1 bait stations. The bait stations used in these sites **MUST** meet the characteristics described under **USE LIMITATIONS- IN AND AROUND BUILDINGS**.

\*As specified under Directions for Use.

#### **STORAGE**

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

#### **DISPOSAL**

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

**RODENT DISPOSAL:** Dispose of dead rodent in garbage or by burying.

**NOTICE TO USER**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

EPA Est. No. 61282-WI-1

Ramik<sup>®</sup> is a Reg. Trademark of HACCO, Inc.