

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : ASCERNITY

Design code : A19188B

Product Registration number : 31527

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.

Address : 140 Research Lane, Research Park
Guelph ON N1G 4Z3
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)

Telefax : 1-519-823-0504

E-mail address :

Emergency telephone number : 1-800-327-8633 (FAST MED)

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the Hazardous Products Regulations**


Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms : 

Signal word : Warning

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

Hazard statements : H227 Combustible liquid.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propanoic acid, 2-hydroxy-, butyl ester, (2S)-	Propanoic acid, 2-hydroxy-, butyl ester, (2S)-	34451-19-9	>= 30 - < 60 *
difenoconazole	difenoconazole	119446-68-3	7.48

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

benzovindiflupyr (ISO)	benzovindiflupyr (ISO)	1072957-71-1	2.24
------------------------	------------------------	--------------	------

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Remove all sources of ignition.
Pay attention to flashback.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from combustible material.
Keep in an area equipped with sprinklers.
Keep away from food, drink and animal feedingstuffs.
No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

Propanoic acid, 2-hydroxy-, butyl ester, (2S)-	34451-19-9	TWA	5 ppm 30 mg/m ³	CA AB OEL
		TWA	5 ppm	CA BC OEL
		TWAEV	5 ppm 30 mg/m ³	CA QC OEL
		TWA	5 ppm	ACGIH
difenoconazole	119446-68-3	TWA	5 mg/m ³	Syngenta
benzovindiflupyr (ISO)	1072957-71-1	TWA	1 mg/m ³	Syngenta

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required.

Eye protection : Tightly fitting safety goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	5.0 Concentration: 1 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	80 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.054 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	345 °C

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

Decomposition temperature : No data available

Viscosity
 Viscosity, dynamic : No data available
 Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
 Inhalation
 Skin contact
 Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 1,030 mg/kg
 Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity
 Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
 Remarks: Based on data from similar materials

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

Components:**difenoconazole:**

- Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.
- Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

benzovindiflupyr (ISO):

- Acute oral toxicity : LD50 (Rat, female): 55 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 0.56 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation**Product:**

- Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:**Propanoic acid, 2-hydroxy-, butyl ester, (2S)-:**

- Result : Irritating to skin.

difenoconazole:

- Species : Rabbit
Result : No skin irritation

benzovindiflupyr (ISO):

- Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation**Product:**

- Species : Rabbit

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

Result : Irritation to eyes, reversing within 21 days
Remarks : Based on data from similar materials

Components:**Propanoic acid, 2-hydroxy-, butyl ester, (2S)-:**

Result : Irreversible effects on the eye

difenoconazole:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

benzovindiflupyr (ISO):

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Product:**

Test Type : Buehler Test
Species : Rabbit
Result : Did not cause sensitisation on laboratory animals.
Remarks : Based on data from similar materials

Components:**difenoconazole:**

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

benzovindiflupyr (ISO):

Test Type : mouse lymphoma cells
Species : Mouse
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Components:****difenoconazole:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

benzovindiflupyr (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

Carcinogenicity**Components:****difenoconazole:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

benzovindiflupyr (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, This substance has been reported to cause tumours in certain animal species., There is no evidence that these findings are relevant to humans.

Reproductive toxicity**Components:****difenoconazole:**

Reproductive toxicity - Assessment : No toxicity to reproduction

benzovindiflupyr (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure**Components:****Propanoic acid, 2-hydroxy-, butyl ester, (2S)-:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure**Components:****difenoconazole:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propanoic acid, 2-hydroxy-, butyl ester, (2S)-:

Toxicity to fish : LC50 (Fish): 75 mg/l
Exposure time: 96 h

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

difenoconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.77 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0.15 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Navicula pelliculosa (Freshwater diatom)): 0.091 mg/l
Exposure time: 72 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.053 mg/l
Exposure time: 72 h

ErC50 (Desmodesmus subspicatus (green algae)): 0.0876 mg/l
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 0.015 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.0076 mg/l
Exposure time: 34 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0056 mg/l
Exposure time: 21 d

NOEC (Americamysis): 0.0023 mg/l
Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

benzovindiflupyr (ISO):

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0091 mg/l
Exposure time: 96 h
- LC50 (Cyprinus carpio (Carp)): 0.0035 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.056 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.89 mg/l
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.42 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.55 mg/l
Exposure time: 72 h
- NOEC (Skeletonema costatum (marine diatom)): 0.4 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00095 mg/l
Exposure time: 32 d
Test Type: Early-life Stage
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.0074 mg/l
Exposure time: 28 d
- EC10 (Daphnia magna (Water flea)): 0.012 mg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h

Persistence and degradability

Components:

Propanoic acid, 2-hydroxy-, butyl ester, (2S)-:

Biodegradability : Result: Readily biodegradable.

difenoconazole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1 d
Remarks: Product is not persistent.

benzovindiflupyr (ISO):

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

difenoconazole:

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 4.4 (25 °C)

benzovindiflupyr (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.3 (25 °C)

Mobility in soil

Components:

difenoconazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 149 - 187 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

benzovindiflupyr (ISO):

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Other adverse effects

Components:

difenoconazole:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

benzovindiflupyr (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

ASCERNITY

Version 1.0 Revision Date: 01/10/2023 SDS Number: S00044618415 This version replaces all previous versions.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Refer to the product label for specific disposal/recycling information
- Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Refer to the product label for specific disposal/recycling information
- Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3082
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOVINDIFLUPYR AND DIFENOCONAZOLE)
- Class : 9
- Packing group : III
- Labels : 9

IATA-DGR

- UN/ID No. : UN 3082
- Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (BENZOVINDIFLUPYR AND DIFENOCONAZOLE)
- Class : 9
- Packing group : III
- Labels : Miscellaneous
- Packing instruction (cargo aircraft) : 964
- Packing instruction (passenger aircraft) : 964
- Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3082
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOVINDIFLUPYR AND DIFENOCONAZOLE)

ASCERNITY

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	01/10/2023	S00044618415	

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOVINDIFLUPYR AND DIFENOCONAZOLE)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(BENZOVINDIFLUPYR, DIFENOCONAZOLE)
Remarks	: Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Warning

poison

Skull and crossbones

Eye irritant

Canadian PBT Chemicals	: This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA: octamethylcyclotetrasiloxane [D4]
NPRI Components	: toluene n-heptane xylene

The components of this product are reported in the following inventories:

DSL	: This product contains the following components that are not
-----	---

ASCERNITY

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	01/10/2023	S00044618415	

on the Canadian DSL nor NDSL.

benzovindiflupyr (ISO)

difenoconazole

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

ASCERNITY

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	01/10/2023	S00044618415	

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/10/2023
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN