

PROFILE GREENS GRADE® EMERALD

Revision Date: 7/27/10

Page 1 of 4

MSDS Number: BLM020

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

1

PROFILE Products, LLC 750 LAKE COOK ROAD SUITE 440 BUFFALO GROVE, IL 60089

Contact: Telephone Number: (847) 215-1144 FAX Number: (847) 215-0577 E-Mail: profileproducts.com Web www.profileproducts.com

Product Name: **Revision Date: MSDS Number:** Common Name: CAS Number:

2

PROFILE GREENS GRADE® EMERALD 7/27/10 **BLM020** N.A. 371172-77-9

Description: Calcined, non-swelling illite and non-crystalline opal CT mineral.

HAZARDS IDENTIFICATION

Route of Entry:								
Target Organs:								
Inhalation:		Lungs						
Skin Contact:		No						
Eye Contact:								
Ingestion:		No						
NFPA-ratings	(scale	0-4):	Health	= 1,	Fire = 0	, Read	ctivity	= 0

Crystalline Silica (Quartz) [EPA Hazard Category: Health]

Carcinogen: OSHA - No NTP - Yes (respirable) IARC - Yes This product contains up to 5% crystalline silica. The International Agency for Research on Cancer (IARC) has stated that there is sufficient evidence of carcinogenicity of crystalline silica to human beings. It was noted that carcinogenicity was not detected in all industrial circumstances studied. The NTP's Sixth Annual Report on Carcinogens include respirable crystalline silica. The Hazard Communication Standard (29CFR 1910.1200) requires that any material containing over 0.1% of a substance reported as a carcinogen in an IARC monograph or the most recent NTP Annual Report on Carcinogens must be identified as a carcinogen. These identifications are for hazard communications only and do not serve as assessments of carcinogenic risk. Crystalline silica is known to cause silicosis. At dust levels below the recommended PEL exposure to the crystalline silica contained in this product should not present a health hazard.

3

COMPOSITION/INFORMATION ON INGREDIENTS

Profile"

PROFILE GREENS GRADE® EMERALD

SDS Number: BLM020	

Revision Date: 7/27/10

Page 2 of 4

Cas #	Perc.	Chemical	Name
14808607	3-5%	Silica,	crystalline quartz

FIRST AID MEASURES

Inhalation:

4

Skin Contact:Wash throughly with soap and water.Eye Contact:Flush thoroughly with water. See a physician if discomfort persists.Ingestion:Ingestion:

5

6

FIRE FIGHTING MEASURES

Non-flammable and non-hazardous

ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.

7 HANDLING AND STORAGE			
Handling Precautions:	Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.		
Storage Requirements:	Do not store near vegetable oil or turpentine.		
8 EXPOSURE CONTROLS/PERSONAL PROTECTION			
Engineering Controls: Protective Equipment:	Respiratory Protection: If dust concentrations exceed recommended Permissible		

Protective Equipment:	Respiratory Protection: If dust concentrations exceed recommended Permissible Exposure Limits, use NIOSH- approved dust respirators, with approval TC-21C-xxx,
	until feasible engineering controls are completed.
	Ventilation: Local exhaust or other ventilation that will reduce dust concentrations to
	less than Permissible Exposure Limits is recommended.
	Eye Protection: If high dust concentrations exist, tight-fitting goggles are
	recommended to reduce dust exposure to the eyes.
	Other Protective Equipment: Optional.

Exposure Guidelines/Other:

PROFILE GREENS GRADE® EMERALD



MSDS Number: BLM020

Bulk Density:

9

Revision Date: 7/27/10

Page 3 of 4

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Green granular particles		
Physical State:		Boiling Point:	
Odor:	Negligible	Freezing/Melting Pt.:	N.A.
pH:		Solubility:	Negligible
Vapor Pressure:	N.A.	Spec Grav./Density:	
Vapor Density:			

35 lbs/cubic ft.

10	STABILITY AND REACTIVITY			
Stability:		Profile Greens Grade Emerald is stable under all normal conditions.		
Conditions to avoid:				
Materials to avoid (incompatability):		Unreacted polymer monomers		
Hazardous Decomposition products:				
Hazardous Polymerization:		Will not occur. However, contact with vegetable oil or turpentine may cause evolution of heat.		

TOXICOLOGICAL INFORMATION

Inhalation- N.E. Intravenous- Rat - LD50:15mg/kg Oral - Rat - LD50:3160 mg/kg

12

11

ECOLOGICAL INFORMATION

13 DISPOSAL CONSIDERATIONS

Can be disposed of in an approved disposal facility, in accordance with applicable federal, state, and local regulations. The nature and extent of contamination, if any, may require use of specialized disposal methods.

TRANSPORT INFORMATION

DOT Class: Not regulated #

14



PROFILE GREENS GRADE® EMERALD

MSDS Number: BLM020

15

Revision Date: 7/27/10

Page 4 of 4

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Silica, crystalline quartz (14808607 3-5%) MASS, NRC, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

TSCA = Toxic Substances Control Act

16 OTHER INFORMATION

END OF MSDS DOCUMENT