2008-1726 13-AUG-2009

(Container)

Safer's TopGun Herbicide Concentrate Liquid COMMERCIAL

For control of annual broadleaf weeds and grasses For burndown of perennial weeds

GUARANTEE: 18% fatty acids KEEP OUT OF REACH OF CHILDREN AND PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

WARNING CORROSIVE (insert symbol)

WARNING – EYE IRRITANT WARNING – SKIN IRRITANT

READ THE LABEL BEFORE USING

REGISTRATION NUMBER 29343 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 10 L

Woodstream Canada Corporation, 4 Lowry Drive, Brampton, ON L7A 1C4 1-800-800-1819

PRECAUTIONS

May cause skin sensitization. Causes eye and skin irritation. DO NOT get in eyes or on skin. Wash immediately after use. Do not plant in treated soil for 3 days after treatment. Overspray will damage foliage contacted. May cause white residue on some types of brick or concrete. Residue will wear off after a few weeks. Do not apply if rainfall is expected within two hours. Application under cold temperature will delay appearance of visible effects. Wear safety goggles or a face shield, rubber gloves, long pants, a long-sleeved shirt, shoes and socks when handling this product. Do not re-enter or allow re-entry into treated areas until the spray is dried.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with

water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

GENERAL INFORMATION

Safer's TopGun Herbicide Concentrate is a non-selective and non-residual vegetation management product formulated from naturally occurring fatty acids. Weeds controlled include, but are not limited to, chickweed, pigweed, lamb's quarter's, corn spurry, wild mustard, spotted cat's ear, round-leaved mallow, common ragweed and green foxtail. Provides suppression or top-kill of some perennials including plantain. NOTE: AVOID SPRAY CONTACT ON DESIRABLE PLANTS. ANY PLANT MAY BE DAMAGED OR KILLED ON CONTACT.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

DIRECTIONS FOR USE

Safer's TopGun Herbicide Concentrate is a fast acting product that can be used around buildings, fences, vacant lots, storage areas, gravel or bark mulch, around shade trees, on sidewalks or driveways, greenhouses, plant nurseries, recreational areas, parks, power substations and industrial sites (including these areas located within pasture and grazing reserves), tank farms and prior to planting grasses, shrubs, flowers and vegetables. As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

APPLICATION INSTRUCTIONS

SHAKE WELL BEFORE USE. DO NOT APPLY VIA BOOM SPRAYER. Only for application via back-pack sprayer or hand-held hose sprayer. Mix a spray solution of 0.85 to 1.0 L of product plus 5.0 L of water and spray target vegetation to wet (avoid runoff). Mix thoroughly before use. Repeat treatment as required every 14-21 days to control weeds growing from seed or regrowth of perennial or large annual weeds.

Spray weeds until foliage is thoroughly wet (avoid run-off). Visible effects usually occur rapidly in 1-2 days. Apply when plants are small. For best results apply in spring/summer to young, succulent and actively growing weeds (< 13 cm tall). Weeds which are larger than 13 cm tall and/or which are maturing (flowering), dormant or under stress, (i.e. drought) are less susceptible and may not be killed. Re-growth of top-killed perennials will occur. Repeat treatment (i.e. every 14-21 days) will be necessary to control re-growth after top kill and seedling weeds emerging after initial application.

STORAGE

Keep container tightly sealed when not in use. Do not allow to freeze. DISPOSAL

Recyclable Containers:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1. Triple-or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

Returnable Containers

Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

Refillable Containers

For disposal, the container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any purpose.

For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.